

Declaration of performance

DOP-EXIT-01

1. Unique identification code of the product-type:
STEP Exit

2. Intended use/es:
Locking and emergency exit of doors, overhead doors and gates

3. Manufacturer:
Stendals EI AB, Signalistgatan 17, 721 31, Västerås, Sverige

5. System/s of AVCP:
System 1

6a. Harmonised standard: EN 179:2008

6b. Notified body/ies: RISE Research Institutes of Sweden AB, Notified Body No. 0402

7. Declared performance/s:


Essential characteristic	Performance	Harmonised standard
4.2.1 Ability to release (for doors on escape routes) - Security	Pass (≤ 70 N unloaded) Grade 5 -	EN 179:2008
4.2.1 Durability of ability to release against aging and degradation (for doors on escape routes) - Corrosion	Grade 7 (200 000 cycles) Grade 4 (240 h)	
4.2.1 Self closing ability C (for fire/smoke doors on escape routes)	Pass	
4.2.1 Durability of self closing ability C against aging and degradation (for fire/smoke doors on escape routes)	Grade 7 (200 000 cycles)	
4.2.1 Resistance to fire E (integrity) and I (insulation) (for fire doors on escape routes)	Grade B	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by

Västerås 2020-05-28

City, date



Fredrik Stendal, CEO